

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	39	709/220-248.ccls. and (stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above less great\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 14:13
L3	36	710/33-57.ccls. and (send\$4 forward\$4 transmit\$6 transfer\$6) same (burst array) same (stack "data link" "tcp/ip" mac) and (manag\$4 with (buffer memor\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 14:15
L4	0	710/33-57.ccls. and ndis and (group\$4 with (packet frame datagram))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 14:15
L5	0	710/33-57.ccls. and (send\$4 forward\$4 transmit\$6 transfer\$6) with (burst array) same (ndis stack "data link" "tcp/ip" layer) and (manag\$4 with (buffer memor\$4)) and (low near5 (buffer memor\$4 resourc\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 14:16
S1	826	packet near3 array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 15:31
S3	39	(packet near3 array) and "710"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:05
S4	58	(packet near3 array) and "711"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 15:12
S5	27	(packet near3 array) and "712"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 15:12
S6	1	packet adj array adj construct\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 15:23
S7	166	(packet near3 array) and stat\$4 and threshold	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 15:33

S8	42	(packet near3 array) and stat\$4 and (threshold same equal\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 15:39
S9	57	"712"/\$.ccls. and (stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above high\$4)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above high\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 16:29
S10	43	"711"/\$.ccls. and (stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above high\$4)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above high\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 16:34
S11	39	(packet near3 array) and (stat\$4 same (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold same equal\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 16:39
S12	254	packet and (stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above)) not (packet near3 array)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 20:58
S13	32	(packet near3 array) and (stat\$4 same (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold same equal\$4) and (threshold same (low\$4 below\$4 high\$4 above))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 16:40
S14	33	709/220-248.ccls. and (stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above less great\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 18:42
S15	2	709/220-248.ccls. and (stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above less great\$4)) and implicit	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 18:36
S16	17	709/220-248.ccls. and (stat\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above less great\$4)) and (cop\$4 with packet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 18:44

S17	7	709/220-248.ccls. and (stat\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above less great\$4)) and ((cop\$4 with packet) same (stat\$4 threshold))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 18:59
S18	16	(stat\$4 with (equal\$4 low\$4 below\$4 high\$4 above less great\$4)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above less great\$4)) and ((cop\$4 with packet with (memor\$4 buffer)) same (stat\$4 threshold))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 19:04
S19	84	((stat\$4 with set\$4 with threshold) same (equal\$4 low\$4 below\$4 high\$4 above less great\$4)) and (cop\$4 with (packet datagram frame))	USPAT	OR	ON	2004/10/31 20:56
S20	49	((stat\$4 with set\$4 with threshold) same (equal\$4 low\$4 below\$4 high\$4 above less great\$4)) and (cop\$4 with (packet datagram frame) same (stat\$4 threshold))	USPAT	OR	ON	2004/10/31 19:17
S21	38	((state status) with set\$4 with threshold) same (equal\$4 low\$4 below\$4 high\$4 above less great\$4)) and (cop\$4 with (packet datagram frame) same (stat\$4 threshold))	USPAT	OR	ON	2004/10/31 19:44
S22	654	greater with equal\$4 with stat\$4 with threshold	USPAT	OR	ON	2005/08/04 13:24
S23	140	greater with equal\$4 with stat\$4 with set\$4 with threshold	USPAT	OR	ON	2004/10/31 20:04
S24	4	greater with equal\$4 with stat\$4 with set\$4 with threshold with (packet resourc\$4)	USPAT	OR	ON	2004/10/31 20:04
S25	5	((stat\$4 with set\$4 with threshold) same (equal\$4 low\$4 below\$4 high\$4 above less great\$4)) and (cop\$4 with (packet datagram frame)) and truncat\$6	USPAT	OR	ON	2004/10/31 20:56
S26	105	(stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above)) and truncat\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 20:59

S27	1	(stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above)) and (packet with truncat\$6 same stat\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 21:00
S37	84	(packet near3 array) and "709"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:57
S38	83	(packet near3 array) and "709"/\$. ccls. and (memor\$4 buffer resourc\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:58
S39	69	(packet near3 array) and "709"/\$. ccls. and ((memor\$4 buffer resourc\$4) same (amount stat\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:59
S42	1383	ndis	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:43
S43	149	ndis and (group\$4 same (packet frame datagram))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:44
S44	105	ndis and (group\$4 with (packet frame datagram))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 14:13
S45	42	ndis and (group\$4 with (packet frame datagram)) and array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:46
S47	22	ndis and (group\$4 same (packet frame datagram) same array)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:44
S48	23	ndis and (group\$4 with (packet frame datagram)) and array not S47	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:52
S49	182	ndis and api	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:52
S50	29	microsoft.as. and ndis and api	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:53

S51	23	microsoft.as. and ndis and api and packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 18:02
S52	2	ndis and (grouping with (packet frame datagram))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 20:58
S53	88	ndis and (queue\$4 with (packet frame datagram))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 20:58
S54	10	ndis and (queue\$4 with (pluralit\$4 multipl\$4) with (packet frame datagram))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 20:59
S55	17	(US-5724574-\$ or US-5796868-\$ or US-5822540-\$ or US-5872920-\$ or US-5901139-\$ or US-5960395-\$ or US-6006318-\$ or US-6172972-\$ or US-6253255-\$ or US-6483870-\$ or US-6499065-\$ or US-6633929-\$ or US-6721271-\$ or US-6735647-\$ or US-6735662-\$ or US-6765873-\$ or US-6775724-\$).did.	USPAT	OR	ON	2005/08/05 11:18
S56	10	S55 and ((memor\$4 buffer) with stat\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 11:23
S57	10	S55 and ((memor\$4 buffer) with stat\$4) and ((array stor\$6 sav\$4 buffering queue\$4) with (packet frame datagram))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 16:58
S58	17	(US-5724574-\$ or US-5796868-\$ or US-5822540-\$ or US-5872920-\$ or US-5901139-\$ or US-5960395-\$ or US-6006318-\$ or US-6172972-\$ or US-6253255-\$ or US-6483870-\$ or US-6499065-\$ or US-6633929-\$ or US-6721271-\$ or US-6735647-\$ or US-6735662-\$ or US-6765873-\$ or US-6775724-\$).did.	USPAT	OR	ON	2005/08/05 16:58
S59	17	S58 and set\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 21:01
S60	2875	(send\$4 forward\$4 transmit\$6 transfer\$6) same (burst array) same (stack "data link" "tcp/ip" mac)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 16:37

S61	158	(burst near2 (size rate)) and (send\$4 forward\$4 transmit\$6 transfer\$6) same (burst array) same (stack "data link" "tcp/ip" mac)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 21:09
S62	31	(burst near2 (size rate)) and (send\$4 forward\$4 transmit\$6 transfer\$6) with (burst array) with (stack "data link" "tcp/ip" mac)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 14:40
S63	21	(burst near2 (size rate)) and (send\$4 forward\$4 transmit\$6 transfer\$6) with (burst array) with (stack "data link" "tcp/ip" mac) and (full filled)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 14:41
S64	268	(send\$4 forward\$4 transmit\$6 transfer\$6) same (burst array) same (stack "data link" "tcp/ip" mac) and (manag\$4 with (buffer memor\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 14:15
S65	104	(send\$4 forward\$4 transmit\$6 transfer\$6) with (burst array) same (ndis stack "data link" "tcp/ip" mac) and (manag\$4 with (buffer memor\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 16:40
S66	134	(send\$4 forward\$4 transmit\$6 transfer\$6) with (burst array) same (ndis stack "data link" "tcp/ip" layer) and (manag\$4 with (buffer memor\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 16:40
S68	28	((send\$4 forward\$4 transmit\$6 transfer\$6) with (burst array) same (ndis stack)) and (manag\$4 with (buffer memor\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 16:41
S72	26	(US-5724574-\$ or US-5796868-\$ or US-5822540-\$ or US-5872920-\$ or US-5901139-\$ or US-5960395-\$ or US-6006318-\$ or US-6172972-\$ or US-6253255-\$ or US-6483870-\$ or US-6499065-\$ or US-6600721-\$ or US-6633929-\$ or US-6650624-\$ or US-6657983-\$ or US-6721271-\$ or US-6735647-\$ or US-6735662-\$ or US-6765873-\$ or US-6775724-\$ or US-5829043-\$ or US-6725311-\$ or US-6006323-\$ or US-5963745-\$ or US-6651117-\$ or US-6009104-\$).did.	USPAT	OR	ON	2005/08/06 18:50
S73	16	S72 and cop\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 18:50

S74	14	S72 and ((cop\$4 updat\$4) same (memor\$4 buffer queu\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 18:53
S75	10	S72 and (cop\$4 same (memor\$4 buffer queu\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 19:01
S76	15	S72 and threshold\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 19:01
S77	26	ndis and (group\$4 with (packet frame datagram)) and (low near5 (buffer memor\$4 resourc\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 19:16
S78	20	(send\$4 forward\$4 transmit\$6 transfer\$6) with (burst array) same (ndis stack "data link" "tcp/ip" layer) and (manag\$4 with (buffer memor\$4)) and (low near5 (buffer memor\$4 resourc\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 14:16